

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	2	"20020087594"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:02
L8	17	@ad<"20010214" and event\$2 and subscribe\$2 and ((group or router or device or event) near3 (ID or identi\$5)) and (logical near4 group) and (table or list or log) and (class same instantiat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/01 13:40
L9	16	@ad<"20010214" and event\$2 and subscribe\$2 and ((group or router or device) near3 (ID or identi\$5)) and (logical near4 group) and (table or list or log) and (class same instantiat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/01 13:40
L10	13	@ad<"20010214" and (router near3 group\$2) same logical	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/01 13:40
L11	25	(router near3 identi\$5) near10 subscrib\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/01 13:40
L12	3968	subscrib\$4 same (one or single) near5 message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:41
L13	69	subscrib\$4 same ((request and event) near5 identi\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:41
L14	34	L12 and L13	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:41
L15	24	L14 and mapping	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:41
S1	0	@pd<"20010214" and event\$2 and subscribe\$2 and ((group or router or device) near3 (ID or identi\$5)) and (logical near4 group) and (table or list or log) and (class same instantiat\$5) and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/09 09:02
S2	1	@pd<"20010214" and event\$2 and subscribe\$2 and ((group or router or device) near3 (ID or identi\$5)) and (logical near4 group) and (table or list or log) and (class same instantiat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/25 10:29
S3	12	@ad<"20010214" and event\$2 and subscribe\$2 and ((group or router or device) near3 (ID or identi\$5)) and (logical near4 group) and (table or list or log) and (class same instantiat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/25 10:36
S4	12	@ad<"20010214" and event\$2 and subscribe\$2 and ((group or router or device or event) near3 (ID or identi\$5)) and (logical near4 group) and (table or list or log) and (class same instantiat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:01
S5	4	"9514266".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/25 16:10

S6	2	"20020103818"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/25 16:11
S7	2	"20030088640"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/25 16:24
S8	30	"375664"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/25 16:25
S9	2	"5950188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/25 16:26
S10	74	"5816918"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/26 07:33
S11	2	"5816918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/03/26 07:33
S12	247	@ad<"20010214" and event\$2 near10 subscribe\$2 same route\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 08:22
S13	16	@ad<"20010214" and event\$2 near10 subscribe\$2 near10 request\$3 same route\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 08:26
S14	12	@ad<"20010214" and event\$2 near10 subscribe\$2 near10 request\$3 same route\$4 and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 08:27
S15	10	@ad<"20010214" and event\$2 near10 subscribe\$2 near10 request\$3 same route\$4 and ((device or event) near10 identif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 08:29
S16	2	event\$2 near10 subscribe\$2 near10 request\$3 same router\$2 and ((device or event) near10 identif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 08:29
S17	4	@pd<"20010214" and router same logical adj4 group	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:30
S18	0	@pd<"20010214" and router same logical adj4 group same mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:30
S19	10	@pd<"20010214" and router same logical same mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:30
S20	0	@pd<"20010214" and router same logical same mapping and event near10 identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:30

S21	0	@ad<"20010214" and router same logical same mapping and event near10 identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:30
S22	12	@ad<"20010214" and router same logical same mapping and event	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:31
S23	12	@ad<"20010214" and router same logical same mapping and event and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:35
S24	1	@ad<"20010214" and router same logical same mapping and event same identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:31
S25	0	@ad<"20010214" and (router near3 group\$2) same logical same mapping and event and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:35
S26	12	@ad<"20010214" and (router near3 group\$2) same logical	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:35
S27	0	@ad<"20010214" and (router near3 group\$2) same logical and event same identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:36
S28	6	@ad<"20010214" and (router near3 group\$2) same logical and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 14:39
S29	0	@ad<"20010214" and (router near3 group\$2) same logical and identif\$4 and (subscrib\$4 same event)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 15:11
S30	0	publish\$2 near10 subscrib\$2 and (router near10 group\$2) and (domain same map\$4) and identif\$4 and (subscrib\$4 near10 event)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 15:12
S31	22	publish\$2 near10 subscrib\$2 and (router near10 group\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/21 15:13
S32	19	publish\$2 near10 subscrib\$2 and (router near10 group\$2) and map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:03
S33	13	publish\$2 near10 subscrib\$2 and (router near10 map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:05
S34	13	(publish\$2 near10 subscrib\$2) and (router near10 map\$4) and event\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:19
S35	37	(subscribe\$2 near3 request) near10 router	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:22

S36	105412	(lookup or search\$3 or scan\$3) near3 (map\$4 or stor\$4 or database\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:21
S37	9231	event near3 identif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:21
S38	0	S35 same S36 same S37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:21
S39	0	S35 same S37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:21
S40	2	S35 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:23
S41	110	(subscribe\$2 near3 request) same router\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:22
S42	2	S35 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:23
S43	0	S35 and S37 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:23
S44	0	S35 same S36	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:23
S45	3	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:41
S46	6	router near3 identifier same event near3 identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:48
S47	23	(router near3 identi\$5) near10 subscrib\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 08:48
S48	2	"6710702".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:35
S49	16	tibco.asn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:36
S50	1	tibco.asn. and router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:35

S51	2	tibco.asn. and events	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:36
S52	3	tibco.asn. and event\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:36
S53	680	mapping near10 subscrib\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:36
S54	2	tibco and mapping near10 subscrib\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:37
S55	2	"5873084".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:25
S56	20	subscrib\$3 same (event adj3 gateway)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:42
S57	0	subscrib\$3 same (event adj3 gateway) same list	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:42
S58	20	subscrib\$3 same (event adj3 gateway)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:50
S59	1	subscrib\$3 same (event adj3 gateway) same mapping	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:44
S60	4	subscrib\$3 same (event adj3 gateway) and map	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:48
S61	8	subscrib\$3 same "event gateway"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:51
S62	8	subscrib\$3 same "event gateway" and "event gateway"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 16:09
S63	5	subscrib\$3 near10 behalf same router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 16:53

S64	4	role near3 base\$2 near10 router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 17:42
S65	3566	subscrib\$4 same (one or single) near5 message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 17:43
S66	57	subscrib\$4 same ((request and event) near5 identif\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 17:44
S67	57	subscrib\$4 same ((request and event) near5 identif\$5)S65 and S66	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 17:44
S68	29	S65 and S66	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 17:44
S69	21	S68 and mapping	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 17:44
S70	11	subscribe adj5 behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:44
S71	195	subscrib\$4 adj5 behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:44
S72	195	subscrib\$3 adj5 behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:44
S73	135	subscrib\$3 adj3 behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:45
S74	38	(subscrib\$3 adj3 behalf) same (database\$2 or list\$2 or mapping or chart\$2 or table\$2 or matri\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 08:46
S75	783	router near3 (group or cluster)	US-PGPUB; USPAT	OR	OFF	2005/06/23 14:35
S76	197348	(group or cluster) near7 (event or job or task or process\$2 or subject or application or function)	US-PGPUB; USPAT	OR	OFF	2005/06/23 14:35
S77	98	S75 same S76	US-PGPUB; USPAT	OR	OFF	2005/06/23 14:35
S78	24	S77 same (mapp\$4 or correspond\$4 or associat\$4 or (nam\$3 adj space))	US-PGPUB; USPAT	OR	OFF	2005/06/23 14:46

S79	197108	(correspond\$3 or associat\$4) near3 (event or job or task or process\$2 or subject or application or function or router)	US-PGPUB; USPAT	OR	OFF	2005/06/23 14:47
S80	832	S79 same routers	US-PGPUB; USPAT	OR	OFF	2005/06/23 14:47
S81	30	S80 same mapp\$4	US-PGPUB; USPAT	OR	OFF	2005/06/23 15:51
S82	1	"6804237".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/28 08:51
S83	1	"5838918".pn.	US-PGPUB; USPAT	OR	OFF	2005/06/28 08:51
S84	190	harvey near2 andrew	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/05 10:04
S85	125	(harvey adj2 andrew).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/05 10:04
S86	11	((harvey adj2 andrew) or (lee adj2 hsuan) or (sundaresan adj2 sudha) or (murthy adj2 mukunda) or (pereira adj2 leo)).in. and cisco.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/05 10:05
S87	2	"6804237".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 10:38
S88	2	"6910070".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/08 16:01
S89	2	"6477585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/08 16:02
S90	2	"6427170".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/08 16:02
S92	516	@ad<"20010214" and router near10 subscrib\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/09 09:03
S93	42	@ad<"20010214" and (router near10 subscrib\$3) same group	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/09 09:03
S94	1	@ad<"20010214" and (router near10 subscrib\$3) same group same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/09 09:03
S95	14	@ad<"20010214" and (router near10 subscrib\$3) same group and (subscrib\$5 near5 (list\$3 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/09 09:14
S96	2	"6785274".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/09 09:09

S97	14	@ad<"20010214" and (router near10 subscrib\$3) same (group or cluster) and (subscrib\$5 near5 (list\$3 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/09 09:14
S98	1	"5959989".pn. and entities same router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/09 10:07
S99	1	"5959989".pn. and entities same compris\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/09 10:08
S10 0	2	"5959989".pn. and entities	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/09 10:08
S10 1	4	@ad<"20010214" and generat\$3 adj3 (subscrib\$3 near3 (table\$3 or list\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:02
S10 2	1	@ad<"20010214" and generat\$3 adj10 (subscrib\$3 near3 (table\$3 or list\$3)) same ident\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:03
S10 3	4	@ad<"20010214" and generat\$3 adj10 (subscrib\$3 near3 (table\$3 or list\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:03
S10 4	6	@ad<"20010214" and generat\$3 near10 (subscrib\$3 near3 (table\$3 or list\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:04
S10 5	130	@ad<"20010214" and generat\$3 adj10 (subscrib\$3 near3 (table\$3 or list\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:04
S10 6	11	@ad<"20010214" and generat\$3 adj3 (subscrib\$3 near3 (table\$3 or list\$3)) same identi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:07
S10 7	6	@ad<"20010214" and generat\$3 adj3 (subscrib\$3 adj3 (table\$3 or list\$3)) same identi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:08
S10 8	1	@ad<"20010214" and generat\$3 adj3 (subscrib\$3 adj3 (table\$3 or list\$3)) and (subscribe near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:09
S10 9	34	@ad<"20010214" and generat\$3 adj3 (subscrib\$3 adj3 (table\$3 or list\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/25 10:09